

Flame-Proof Type

Normal & Miniature Style [RSF Series]



INTRODUCTION

The RSF Series Metal Oxide Film Flame-Proof Resistors offer excellent performance in applications where stability and uniformity of characteristics are desired. They provide lower cost alternatives to Carbon Composition Resistors and General Purpose Metal Films. Metal Oxides also can replace many low power General Purpose wirewound applications, saving both money and time, with shorter delivery cycles. The normal style & 'RSF-WV' style of RSF series are coated with layers of gray flame-proof lacquer, and the miniature style except 'RSF-WV' style are coated with layers of pink colors flame-proof lacquer:


FATURES

Power Rating	1/4W, 1/2W, 1W, 2W, 3W, 5W
Resistance Tolerance	±2%, ±5%
T.C.R.	±300ppm/°C
Flameproof Multi-layer Coating Meets	UL-94V-0
Flameproof Feature Meets Overload Test	UL-1412

DERATING CURVE

For resistors operated in ambient temperatures above 70°C, power rating must be derated in accordance with the curve below.


Rated Load (%)



Ambient Temperature (°C)

DIMENSIONS

Unit: mm



STYLE		DIMENSION						
Normal	Miniature	L	øD	Н	ød			
RSF-25	RSF50S / RSF1WV	6.3±0.5	2.4±0.2	28±2.0	0.55±0.05			
RSF-50	RSFIWS	9.0±0.5	3.3±0.3	26±2.0	0.55±0.05			
RSF100	RSF2WS / RSF2WV	11.5±1.0	4.5±0.5	35±2.0	0.8±0.05			
RSF200	RSF3WS	15.5±1.0	5.0±0.5	33±2.0	0.8±0.05			
-	RSF3WV	16.5+0/-1.5	6.0+0/-0.5	33±2.0	0.8±0.05			
RSF3WM	RSF5SS	17.5±1.0	6.5±1.0	32±2.0	0.8±0.05			
-	RSF4WV	20+0/-1	9.0+0/-0.5	31±2.0	0.8±0.05			
RSF300	RSF5WS	24.5±1.0	8.5±1.0	38±2.0	0.8±0.05			
RSF500	-	24.5±1.0	8.5±1.0	38±2.0	0.8±0.05			

ELECTRICAL CHARACTERISTICS

NORMAL STYLE

STYLE	RSF-25	RSF-50	RSF100	RSF200	RSF3WM	RSF300	RSF500	
Power Rating at 70°C	1/4W	1/2W	IW	2W	3W		5W	
Maximum Working Voltage	200V	250V	350V		450V	500V	750V	
Maximum Overload Voltage	300V	400V	600V		700V	800V	1,000V	
Voltage Proof on Insulation	250V	350V	500V					
Resistance Range	ΙΩ - ΙΜΩ &	IΩ - I ΜΩ & 0 Ω for E24 series value						
Operating Temp. Range	-55°C to +23	-55°C to +235°C						
Temperature Coefficient	±300ppm/°C							

MINIATURE STYLE

STYLE	RSF50S	RSFIWV	RSFIWS	RSF2WS	RSF2WV	RSF3WS	RSF3WV	RSF5SS	RSF4WV	RSF5WS
Power Rating at 70°C	1/2W	IW		2W		3W		5W	4W	5W
Maximum Working Voltage	250V	500V	300V	350V	500V	350V	750V	500V	750V	700V
Maximum Overload Voltage	400V	500V	-	600V			750V	800V		900V
Voltage Proof on Insulation	350V	500V	400V	500V						
Resistance Range	ΙΩ - ΙΜΩ	IΩ - I ΜΩ & 0 Ω for E24 series value								
Operating Temp, Range	-55°C to +	-55°C to +235°C								
Temperature Coefficient	±300ppm/	±300ppm/°C								

Note: Special value is available on request

ENVIRONMENTAL CHARACTERISTICS

PERFORMANCE TEST	TEST METHOD	APPRAISE			
Short Time Overload	IEC 60115-1 4.13	2.5 times RCWV for 5 Sec.	\pm 1.0%+0.05 Ω for normal style \pm 2.0%+0.05 Ω for miniature style		
Voltage Proof on Insulation	IEC 60115-1 4.7	in V-block for 60 Sec., test voltage by type	By type		
Temperature Coefficient	IEC 60115-1 4.8	-55°C to +155°C	By type		
Insulation Resistance	IEC 60115-1 4.6	in V-block for 60 Sec.	>1,000ΜΩ		
Solderability	IEC 60115-1 4.17	235±5°C for 3±0.5 Sec.	95% Min. coverage		
Solvent Resistance of Marking	IEC 60115-1 4.30	IPA for 5±0.5 Min, with ultrasonic	No deterioration of coatings and markings		
Robustness of Terminations	IEC 60115-1 4.16	Direct load for 10 Sec. in the direction of the terminal leads	≥2.5kg (24.5N)		
Periodic-pulse Overload	IEC 60115-1 4.39	4 times RCWV 10,000 cycles (1 Sec. on, 25 Sec. off)	±2.0%+0.05Ω		
Damp Heat Steady State	IEC 60115-1 4.24	40±2°C, 90-95% RH for 56 days, loaded with 0.1 times RCWV	±5.0%+0.05Ω		
Endurance at 70°C	IEC 60115-1 4.25	70±2°C at RCWV for 1,000 Hr. (1.5 Hr. on, 0.5 Hr. off)	±5.0%+0.05Ω		
Temperature Cycling	IEC 60115-1 4.19	-55°C ⇒ Room Temp. ⇒ +155°C ⇒ Room Temp. (5 cycles)	±1.0%+0.05Ω		
Resistance to Soldering Heat	IEC 60115-1 4.18	260±3°C for 10±1 Sec., immersed to a point 3±0.5mm from the body	±1.0%+0.05Ω		
Accidental Overload Test	IEC 60115-1 4.26	4 times RCWV for 1 Min.	No evidence of flaming or arcing		

EXPLANATIONS OF ORDERING CODE

Code I - 3 **Series Name**

See Index

Code 4 - 6 **Power Rating**

-05 = ød0.5mm-06 = ød0.6mm-07 = ød0.7mm-08 = ød0.8mm-10 = ød1.0mm-14 = ød1.4mm-12 = 1/6W-25 = 1/4W25S = 1/4WS-50 = 1/2W50S = 1/2WS100 = 1 WIWS = IWS200 = 2W2WS = 2WS204 = 0.4W207 = 0.6W300 = 3W3WS = 3WS3WM = 3WM400 = 4W500 = 5W5WS = 5WS5SS = 5WSS700 = 7W7WS = 7WS10A = 10W20A = 20W

Code 7 **Tolerance** $P = \pm 0.02 \%$ $A = \pm 0.05 \%$

 $K = \pm 10 \%$

- = Base on Spec

B = +0.1%C = +0.25% $D = \pm 0.5 \%$ F = ±1 % $G = \pm 2 \%$ $1 = \pm 5 \%$

Code 8 **Packing Style**

T = Tape/BoxR = Tape/Reel B = Bulk

Code 9

Temperature Coefficient of Resistance - = Base on Spec.

 $A = \pm 5 \text{ ppm/}^{\circ}\text{C}$ $B = \pm 10 \text{ ppm/}^{\circ}\text{C}$ $C = \pm 15 \text{ ppm/}^{\circ}C$ $S = \pm 20ppm/^{\circ}C$

 $D = \pm 25 \text{ ppm/}^{\circ}C$ $E = \pm 50 \text{ ppm/}^{\circ}\text{C}$ $F = \pm 100 \text{ ppm/°C}$

 $G = \pm 200 \text{ ppm/}^{\circ}C$ $H = \pm 250 \text{ ppm/°C}$ $I = \pm 300 \text{ ppm/°C}$

 $I = \pm 350 \text{ ppm/°C}$

Code 10 - 12

Forming Type 26 - 26mm

52-

73 - = 73 mm81 - 81 mm

52- = 52.4mm

91 - = 91 mmF = FType

FK = FKType

FKK = FKK Type FFK = F-form Kink

M = M-Type Forming MB = M-form W/flat MT = MT Type Forming

MR = MRTypeAV = AVIsertPN = PANAsert $\overline{100}R$

Code 13 - 17 Resistance Value

0RI = 0.1100R = 10010K = 10.00010M = 10,000,000

EXCEPTION:

• Cement series:

<Code 8>: Special packing style code

30A = 30W40A = 40W50A = 50W10S = 10WS15A = 15W25A = 25W10B = 100W 25B = 250W

B: Bulk with wirewound or metal oxide sub-assembly for resistance value

W: Bulk with ceramic based wirewound sub-assembly for resistance value

M: Bulk with metal oxide sub-assembly for resistance value

F: Bulk with Fiberglass based wirewound sub-assembly for resistance value

<Code 10-12>: Without forming code

Example: SQP500|B-I0R

• JPW series:

<Code 13-17>: without resistance value code

Example: **JPW-06-T-52-**