


PC board drilling dimensions(after plating)

(thickness ≤ 3.20±0.30mm)

Pitch 2.76(shell 25-37)

pitch 2.74(shell 09-15)



ROHS PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER
09	30.81	24.99	16.96	16.79	10.96	D09P91C*GL00LF
15	39.14	33.32	25.18	25.12	19.18	D15P91C*GL00LF
25	53.03	47.04	39.12	38.84	33.12	D25P91C*GL00LF
37	69.32	63.50	55.68	55.30	49.68	D37P91C*GL00LF

Plating: 4 --> 200 Mating
 Plating: 6 --> 500 Mating
 Plating: 8 --> 1.25µ Equivalent PdNi/Au

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
 SEE DRAWING C01-8646-0001

mat'l. code		surface ISO 1302		tolerance ISO 406 ISO 1101		projection		product family D-SUB	
ltr	ecn no	dr	date	tolerances unless otherwise specified		mm		title	
L	ELX-I-21654	AB	2015-10-26	angles	linear	scale 2:1		MALE DELTA-D STRAIGHT PRESS-FIT	
M	ELX-I-24020	AAB	2016-06-06	0°±2'				dwg no sheet 1 of 1 size	
		dr	JARRY	1994-09-21		Amphenol FCI		C01-8646-0311 A3	
		engr	MITHUN PAUL	2016-06-06				type Product Customer Drawing	
		chr	ATHUL A.B	2016-06-06					
		appd	BIJU K PAUL	2016-06-06					
sheet index	revision	M							
	sheet	1							