



REVISION RECORD		
REV	DESCRIPTION	DRFT
9	UPDATE	Jack 7/19/11
10	Correct dim 1.7 to 1.9	Victor 10/31/12




NOTES:

- MATERIAL:  
CONNECTOR  
HOUSING: GLASS FILLED HIGH TEMPERATURE PLASTIC, UL94 V-0, BLACK  
TERMINALS: PHOS-BRONZE t=0.2mm .  
OVERMOLDED TERMINALS HOUSING: GLASS FILLED HIGH TEMPERATURE PLASTIC, UL94 V-0, BLACK.  
CAGE ASSEMBLY: PHOS-BRONZE t=0.25mm.
- FINISH:  
TERMINAL:  
1)50u" MIN NICKEL PLATING OVER ALL.  
2)COMPLIANT TAIL: 50u" TIN OVER 50u" MIN NICKEL.  
3)30u" MIN GOLD PLATING ON MATING AREA.  
CAGE: 50u" MIN NICKEL PLATING OVER ALL.
- PRESS FIT HOLES:  
CONTACT:  
1)HOLE DIAMETER AFTER PLATING: 0.55-0.65mm.  
2)DRILLED HOLE: 0.675-0.725mm  
CAGE:  
1)HOLE DIAMETER AFTER PLATING: 1.00-1.10mm.  
2)DRILLED HOLE: 1.125-1.175mm.
- RATING:  
1)VOLTAGE: 120V r.m.s  
2)CURRENT RATING: 0.5Amp. MAXIMUM PER INDIVIDUAL CONTACT.  
3)OPERATING TEMPERATURE: -55° C TO 85° C  
4)INSULATION RESISTANCE: 1000 mega-ohms Min.


Qty Per:	TRAY	CARTON
	16	96

DETACHED LISTS		<b>RoHS Compliant</b>	<b>Pulse Electronics</b>									
	TOLERANCES EXCEPT AS NOTED	TITLE										
	<table border="1"> <tr> <td>MM</td> <td>±</td> </tr> <tr> <td>.0 ± 0.25</td> <td>±</td> </tr> <tr> <td>.00 ± 0.20</td> <td>±</td> </tr> <tr> <td>.000 ± 0.10</td> <td>±</td> </tr> </table>	MM	±	.0 ± 0.25	±	.00 ± 0.20	±	.000 ± 0.10	±	W/O MIDDLE PINS		
	MM	±										
.0 ± 0.25	±											
.00 ± 0.20	±											
.000 ± 0.10	±											
ANGLES ± 0.5	SFP 2 BY 1 CAGE+CONNECTOR_S											
	DFTD Yicqn DATE 8/26/10'	DRAWING NO. CSFP013-L /PART NO. SFP013-L	SIZE A3	REV 10								
THIRD ANGLE PROJECTION	SCALE : 2:1	DO NOT SCALE DRAWING	SHEET 1	OF 3								

REVISION RECORD		
REV	DESCRIPTION	DRFT
9	UPDATE	Jack 7/19/11
10	Correct dim 1.7 to 1.9	Victor 10/31/12




BEZEL CUT-OUT CENTER SPACING DETAIL  
BEZEL THICKNESS:0.8-2.6






MM (INCH)	
TOLERANCES EXCEPT AS NOTED	
MM	±
.0 ± 0.25	±
.00 ± 0.20	±
.000 ± 0.10	±
ANGLES ± 0.5	
THIRD ANGLE PROJECTION	

<b>RoHS Compliant</b>		<b>Pulse Electronics</b>	
TITLE		W/O MIDDLE PINS	
SFP 2 BY 1 CAGE+CONNECTOR_S			
DFTD Yican	DRAWING NO. CSFP013-L	SIZE	REV
DATE 8/26/10'	/PART NO. SFP013-L	A3	10
SCALE : 2:1	DO NOT SCALE DRAWING	SHEET 2	OF 3

REVISION RECORD		
REV	DESCRIPTION	DRFT
9	UPDATE	Jack 7/19/11
10	Correct dim 1.7 to 1.9	Vicior 10/31/12



DETAIL A  
SCALE 6:1



CONNECTOR PIN-OUT  
COMPONENT SIDE OF BOARD

DETACHED LISTS	
MM (INCH)	
TOLERANCES EXCEPT AS NOTED	
MM	±
.0 ± 0.25	±
.00 ± 0.20	±
.000 ± 0.10	±
ANGLES ± 0.5	
THIRD ANGLE PROJECTION	

**RoHS Compliant**



TITLE: SFP 2 BY 1 CAGE+CONNECTOR\_S  
W/D MIDDLE PINS

DFTD Yicon	DRAWING NO. CSFP013-L	SIZE	REV
DATE 8/26/10'	/PART NO. SFP013-L	A3	10
SCALE: 2:1	DO NOT SCALE DRAWING	SHEET 3	OF 3