






REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APVD.
A		RELEASED PER ECO-13-013886	29AUG2013	RGV RN
A1		REVISED PER ECO-14-013158	08SEP2014	DD RN
B		REVISED PER ECO-15-003128	27MAR2015	JM RN



- MATING PART: TE P/N 2138839-X.
- DESIGNED FOR CORRUGATED TUBE NW26.
- TPA SHOWN IN PRE-STAGED (AS SHIPPED) POSITION.
- KEY MARKING IN APPROXIMATE AREA SHOWN.
- ASSEMBLY P/N AND DATE CODE MARKED IN APPROXIMATE AREA SHOWN. SEE TABLE FOR P/N TO KEY RELATIONSHIP.
- SEE TABLE FOR CAP HOUSING COLOR TO KEY RELATIONSHIP.
- FOR PANEL MOUNT USE MOUNTING CLIP, TE P/N 2138852-X. SEE DRAWING 2138852 FOR RECOMMENDED PANEL THICKNESSES.



(4) SIZE 12: 2.82 MIN, 4.09 MAX (24) SIZE 16: 1.68 MIN, 2.77 MAX	28 POSITIONS TOTAL (4) SIZE 12 (24) SIZE 16	KEY B	BROWN	2138846-2
		KEY A	BLACK	2138846-1
WIRE DIA.	DESCRIPTION	KEY 4	HSG. COLOR 6	PART NO 5




2138846-1 SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN R. VESTAL 25JAN2012	NAME
mm	0 PLC ±	CHK R. NARANG 30JAN2012	CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER
	1 PLC ±	APVD D. KLEIN 30JAN2012	
	2 PLC ±	PRODUCT SPEC	
	3 PLC ±	108-32036	
	4 PLC ±	APPLICATION SPEC	
	ANGLES ±	114-32117	
MATERIAL	FINISH	WEIGHT	SIZE CAGE CODE DRAWING NO RESTRICTED TO
			A100779C=2138846
		CUSTOMER DRAWING	SCALE 2:1 SHEET 1 OF 4 REV B



TE Connectivity

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	OWN. APVD.
-	-	SEE SHEET 1	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: R. VESTAL 25JAN2012	TE Connectivity
DIMENSIONS: mm		CHK: R. NARANG 30JAN2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: D. KLEIN 30JAN2012	NAME: CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER
0 PLC	±	PRODUCT SPEC	SIZE: A1
1 PLC	±	108-32036	CAGE CODE: C=2138846
2 PLC	±	APPLICATION SPEC	RESTRICTED TO: -
3 PLC	±	114-32117	SCALE: 2:1
4 PLC	±	WEIGHT: -	SHEET: 2 OF 4
ANGLES	±	CUSTOMER DRAWING	REV: B
FINISH	#1		

REVISIONS					
P.	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN R. VESTAL 30JAN2012	25JAN2012	STE TE Connectivity
DIMENSIONS:		CHK R. NARANG 30JAN2012	30JAN2012	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. KLEIN 30JAN2012	NAME	CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER
0 PLC ±	1 PLC ±	PRODUCT SPEC	108-32036	
2 PLC ±	3 PLC ±	APPLICATION SPEC	114-32117	SIZE
4 PLC ±	ANGLES ±	WEIGHT	-	CAGE CODE
MATERIAL	FINISH	CUSTOMER DRAWING	A100779	DRAWING NO
			C=2138846	RESTRICTED TO
			SCALE 2:1	SHEET 3 OF 4
			REV B	

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



SCALE 3:1
 2138846-1, KEY A SHOWN



SCALE 3:1
 2138846-2, KEY B SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. VESTAL 25JAN2012 CHK: R. NARANG 30JAN2012 APVD: D. KLEIN 30JAN2012	
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±. 2 PLC ±. 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH ±.	NAME: CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER PRODUCT SPEC: 108-32036 APPLICATION SPEC: 114-32117 WEIGHT: - CUSTOMER DRAWING	