

Electronic housing - ME 17,5 TBUS 1,5/ 5-ST-3,81 GN - 2709561

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

DIN rail connector for DIN rail mounting. Universal for TBUS housing. Gold-plated contacts, 5-pos.




Why buy this product

- For bridging the supply voltage when using a MINI POWER system power supply unit
-



Key Commercial Data

Packing unit	1 STK
Minimum order quantity	10 STK
GTIN	 4 017918 892654
GTIN	4017918892654
Weight per Piece (excluding packing)	6.000 g
Custom tariff number	85366990
Country of origin	Germany

Technical data

General

Color	green
-------	-------

Dimensions

Height	20 mm
Width	3.50 mm
Pitch	3.81 mm

Technical data

Electronic housing - ME 17,5 TBUS 1,5/ 5-ST-3,81 GN - 2709561

Technical data

Technical data

Connection in acc. with standard	CUL
Nominal voltage U_N	150 V
Nominal current I_N	8 A
Indicator1	CUL1
Flammability rating according to UL 94	V0
Number of positions	5

Standards and Regulations


Connection in acc. with standard	CUL
Flammability rating according to UL 94	V0

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Drilling diagram



Detailed dimensional drawing of the DIN rail connector contact pads

Approvals

Approvals

Approvals


UL Recognized / cUL Recognized / EAC / EAC / UL Recognized / cUL Recognized / cULus Recognized


Electronic housing - ME 17,5 TBUS 1,5/ 5-ST-3,81 GN - 2709561

Approvals


Ex Approvals


Approval details


UL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 60425
---------------	---	---	--------------

cUL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 60425
----------------	---	---	--------------

EAC			EAC-Zulassung
-----	---	--	---------------

EAC			7500651.22.01.00246
-----	---	--	---------------------

UL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	E118976-20151204
Nominal current IN		8 A	
Nominal voltage UN		150 V	

cUL Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	E118976-20151204
Nominal current IN		6 A	
Nominal voltage UN		150 V	

cULus Recognized		http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	
------------------	---	---	--

