

# Tool sets

---

<b>Tool sets</b>	Introduction	H.2
	Tool cases	H.4
	Crimp sets and accessories	H.7
	multi-stripax® PV and WM4 PV Set	H.13
	Inserts	H.14
	Assortment boxes and cases	H.16

---

# Weidmüller offers a comprehensive range of accessories

## Crimping sets

Workshops and companies prefer well-organised tool sets. This reduces searching and preparation times and thus saves hard cash. Weidmüller has recognised these important aspects and implements this in its product combinations. These product combinations stand out due to their high user benefit and functional features. Weidmüller crimping sets for cutting, stripping and crimping wire end ferrules provide you with practical works equipment for everyday use.





Tool cases

Pro Case Premium



Pro Case Insta



Assembly

Description of article	Type	Qty.
Sheathing stripper	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool	PZ 6 Roto	1
Wire-end ferrule	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V / 100 Hz LCD	DIGI CHECK	1
Voltage tester up to 690 V / 100 Hz LED	COMBI CHECK	1
Toolbox, empty	Pro Case leer	1
Junct. box sheath. stripper w. indiv. core stripping unit/longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
VDE-insulated round-nose pliers with long jaws	RZ 160	1
VDE-insulated wire-stripping pliers for conductors up to 5mm diameter	AIZ 160	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Combined cutting/screwing tool	SWIFTY SET	1
Screwing tool	SK WSD-S 1,5-10,0	1
Slotted and crosshead PH screwdriver set	SD Set S2.5-5.5/PH1/2	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDI Set S2.5-5.5/PH1/2	1
Screwing tool	Bit-Box WI DMS 3	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Continuity tester with light	TESTBOY 20	1
Interchangeable bit for slotted screws, size 0.5 x 3	WK S 0,5x3,0	1
Torque screwdriver, from 0.5-1.7 Nm	DMS MANUELL 0,5-1,7	1

Technical data

Length / Width / Height	48 / 17 / 40 mm
Weight	8,500 g

Ordering data

Type	Qty.	Order No.
Pro Case Premium	1	9202460000
Pro Case leer	1	9202470000

Assembly

Description of article	Type	Qty.
Sheathing stripper	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool	PZ 6 Roto	1
Wire-end ferrule	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V / 100 Hz LED	COMBI CHECK	1
Tape measure	FLEXIMET 5 M	1
Toolbox, empty	Pro Case leer	1
Junct. box sheath. stripper w. indiv. core stripping unit/longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Screwing tool	SK WSD-S 1,5-10,0	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDI Set S2.5-5.5/PH1/2	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Ring spanner set	PACK HEXA 8-13	1

Technical data

Length / Width / Height	48 / 17 / 40 mm
Weight	7,680 g

Ordering data

Type	Qty.	Order No.
Pro Case Insta	1	9203160000
Pro Case leer	1	9202470000

## Top Case Premium



## Assembly

Description of article	Type	Qty.
Sheathing stripper	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool	PZ 6 Roto	1
Wire-end ferrule	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V / 100 Hz LCD	DIGI CHECK	1
Voltage tester up to 690 V / 100 Hz LED	COMBI CHECK	1
Tool case	PLASTIC CASE	1
Junct. box sheath. stripper w. indiv. core stripping unit/longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
VDE-insulated round-nose pliers with long jaws	RZ 160	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Combined cutting/screwing tool	SWIFTY SET	1
Screwing tool	SK WSD-S 1,5-10,0	1
Slotted and crosshead PH screwdriver set	SD Set S2.5-5.5/PH1/2	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDI Set S2.5-5.5/PH1/2	1
Screwing tool	Bit-Box WI DMS 3	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Interchangeable bit for slotted screws, size 0.5 x 3	WK S 0,5x3,0	1
Torque screwdriver, from 0.5-1.7 Nm	DMS MANUELL 0,5-1,7	1
Sheathing stripper	AM 16	1

## Technical data

Length / Width / Height	53 / 19 / 40 mm
Weight	5,072 g

## Ordering data

Type	Qty.	Order No.
TOP CASE PREMIUM	1	1345320000
TOP CASE	1	1345330000

## Top Case Insta



## Assembly

Description of article	Type	Qty.
Sheathing stripper	AM 25	1
Cutting tool for up to 8-mm outer diameter	KT 8	1
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool	PZ 6 Roto	1
Wire-end ferrule	H-BOX 0,5-2,5QMM DIN	1
Sheathing stripper for UTP and STP data cables	AM 12	1
Voltage tester up to 690 V / 100 Hz LED	COMBI CHECK	1
Tool case	PLASTIC CASE	1
Junct. box sheath. stripper w. indiv. core stripping unit/longitudinal cutter	STRIPPER ROUND TOP	1
VDE-insulated long-nose pliers with cutter, 160 mm long	FRZ S 160	1
VDE-insulated diagonal-cutting pliers, 180 mm long	SE HD 180	1
VDE-insulated combination pliers, 180 mm long	KBZ 180	1
Universal electrical cabinet key	CROSS-KEY UNIVERSAL	1
Screwing tool	SK WSD-S 1,5-10,0	1
VDE-insulated Slotted and crosshead PH-SD screwdriver set	SDI Set S2.5-5.5/PH1/2	1
Allen key with ball head	SKS 2,0-8,0 MR	1
Ring spanner set	Pack HEXA P-13	1
Tape measure	Fleximet M5	1

## Technical data

Length / Width / Height	53 / 19 / 40 mm
Weight	5,072 g

## Ordering data

Type	Qty.	Order No.
TOP CASE INSTA	1	1345310000
TOP CASE	1	1345330000



## Crimp-Set PZ 4



Crimp set for cutting, stripping and crimping of wire-end ferrules up to 4.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (4 pieces)
- A7 insert (2 pieces)
- stripax® stripping tool for conductors with PVC insulation from 0.08...6.0 mm<sup>2</sup>
- PZ 4 crimping tool for wire-end ferrules from 0.5...4.0 mm<sup>2</sup>
- Wire-end ferrules with plastic collars H 0.5...H 4.0
- Weidmüller colour code

## Crimp-Set PZ 3



Crimp set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pieces)
- A7 insert (1 piece)
- stripax® stripping tool for conductors with PVC insulation from 0.08...6.0 mm<sup>2</sup>
- PZ 3 crimping tool for wire-end ferrules from 0.5...6.0 mm<sup>2</sup>
- Wire-end ferrules with plastic collars H 0.5...H 6.0
- Weidmüller colour code

## Crimp-Set PZ 6 roto



Crimp set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pieces)
- A7 insert (1 piece)
- stripax® stripping tool for conductors with PVC insulation from 0.08...6.0 mm<sup>2</sup>
- PZ 6 Roto crimping tool for wire-end ferrules from 0.14...6.0 mm<sup>2</sup>
- Wire-end ferrules with plastic collars H 0.5...H 6, Weidmüller colour code

## Assembly

Type		Piece
STRIPAX	Stripping tool for up to 10 mm <sup>2</sup>	1
PZ 4	Crimping tool	1
H0,5/14D W	Wire-end ferrule	500
H0,75/14D GR	Wire-end ferrule	500
H1,0/14D R	Wire-end ferrule	500
H1,5/14D SW	Wire-end ferrule	500
H2,5/15D BL	Wire-end ferrule	500
H4,0/18D GR	Wire-end ferrule	500

## Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	1,780 g

## Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 4	9025800000
DIN	CRIMP-SET PZ 4 D	9028630000
Misc.	CRIMP-SET PZ 4 T	9028640000

## Assembly

Type		Piece
PZ 3	Crimping tool	1
STRIPAX	Stripping tool for up to 10 mm <sup>2</sup>	1
H0,5/14D W	Wire-end ferrule	500
H1,0/14D R	Wire-end ferrule	500
H1,5/14D SW	Wire-end ferrule	500
H0,75/14 HBL	Wire-end ferrule	500
H2,5/15T GR	Wire-end ferrule	500
H4,0/18T OR	Wire-end ferrule	500
H6/26T GN	Wire-end ferrule	100

## Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	1,743 g

## Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 3	9028650000
DIN	CRIMP-SET PZ 3 D	9028660000
Misc.	CRIMP-SET PZ 3 T	9028670000

## Assembly

Type		Piece
STRIPAX	Stripping tool up for to 10 mm <sup>2</sup>	1
PZ 6 Roto	Crimping tool	1
H0,5/14D W	Wire-end ferrule	500
H1,0/14D R	Wire-end ferrule	500
H1,5/14D SW	Wire-end ferrule	500
H0,75/14 HBL	Wire-end ferrule	500
H2,5/15T GR	Wire-end ferrule	500
H4,0/18T OR	Wire-end ferrule	500
H6,0/20T GN	Wire-end ferrule	100

## Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	1,760 g

## Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6 ROTO	9028680000
DIN	CRIMP-SET PZ 6 ROTO D	9028690000
Misc.	CRIMP-SET PZ 6 ROTO T	9028700000

Crimp sets and accessories

Crimp-Set PZ 6 HEX



Crimp set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pieces)
- A7 insert (1 piece)
- stripax<sup>®</sup> stripping tool for conductors with PVC insulation from 0.08...6.0 mm<sup>2</sup>
- PZ 6 HEX crimping tool for wire-end ferrules of 0.14...6.0 mm<sup>2</sup>
- Wire-end ferrules with plastic collars H 0.5...H 6.0
- Weidmüller colour code

Crimp-Set PZ 6/5



Crimp set for cutting, stripping and crimping of wire-end ferrules up to 6.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (6 pieces)
- A7 insert (1 piece)
- stripax<sup>®</sup> stripping tool for conductors with PVC insulation from 0.08...6.0 mm<sup>2</sup>
- PZ 6/5 crimping tool for wire-end ferrules from 0.25...10.0 mm<sup>2</sup>
- Wire-end ferrules with plastic collars H 0.5...H 6.0
- Weidmüller colour code

Crimp-Set stripax<sup>®</sup> plus



Crimp set for cutting, stripping and crimping of reel-packaged wire-end ferrules up to 2.5 mm<sup>2</sup>, consisting of:

- PSC 01 assortment box, clear with foam insert
- stripax<sup>®</sup> combination tool Plus for processing strips of linked wire-end ferrules of 0.5...2.5 mm<sup>2</sup> from Weidmüller
- Wire-end ferrules with plastic collars H 0.5...H 2.5
- Weidmüller colour code

H

Assembly

Type		Piece
STRIPAX	Stripping tool up for to 10 mm <sup>2</sup>	1
PZ 6 HEX	Crimping tool for wire end	1
H0,5/14D W	Wire-end ferrule	500
H1,0/14D R	Wire-end ferrule	500
H1,5/14D SW	Wire-end ferrule	500
H0,75/14 HBL	Wire-end ferrule	500
H2,5/15T GR	Wire-end ferrule	500
H4,0/18T OR	Wire-end ferrule	500
H6/26T GN	Wire-end ferrule	100

Technical data

Length / Width / Height	216 / 338 / 57 mm
Weight	1,695 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6 HEX	9028710000
DIN	CRIMP-SET PZ 6 HEX D	9028720000
Misc.	CRIMP-SET PZ 6 HEX T	9028730000

Assembly

Type		Piece
STRIPAX	Stripping tool up for to 10 mm <sup>2</sup>	1
PZ 6/5	Crimping tool for wire end	1
H0,5/14D W	Wire-end ferrule	500
H1,0/14D R	Wire-end ferrule	500
H1,5/14D SW	Wire-end ferrule	500
H0,75/14 HBL	Wire-end ferrule	500
H2,5/19T GR	Wire-end ferrule	500
H4,0/18T OR	Wire-end ferrule	500
H6,0/20T GN	Wire-end ferrule	100

Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	1,761 g

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 6/5	9028740000
DIN	CRIMP-SET PZ 6/5 D	9028750000
Misc.	CRIMP-SET PZ 6/5 T	9028760000

Assembly

Type		Piece
H0,5/14D W BD	Wire-end ferrule	500
H0,75/14T HBL BD	Wire-end ferrule	500
H1,0/14D R BD	Wire-end ferrule	500
H1,5/14D SW BD	Wire-end ferrule	500
H2,5/14T GR BD	Wire-end ferrule	500
STRIPAX PLUS 2.5	Crimping tool	1

Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	

Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET STRIPAX PLUS	9028770000
DIN	CRIMP-SET STRIPAX PLUS D	9028780000
Misc.	CRIMP-SET STRIPAX PLUS T	9028790000



## Crimp-Set PZ 16



Crimp set for cutting, stripping and crimping of wire-end ferrules up to 16.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A8 insert (4 pieces)
- A7 insert (2 piece)
- stripax® stripping tool 16 for conductors with PVC insulation from 6.0...16.0 mm<sup>2</sup>
- PZ 16 crimping tool for wire-end ferrules from 6.0...16.0 mm
- Wire-end ferrules with plastic collars H 6.0...H 16.0
- Weidmüller colour code

## Crimp-Set PZ ZH 16



Crimp set for cutting, stripping and crimping of twin wire-end ferrules up to 16.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A7 insert (4 pieces)
- stripax® stripping tool 16 for conductors with PVC insulation from 6.0...16.0 mm<sup>2</sup>
- Crimping tool PZ ZH 16 for twin wire-end ferrules of 6.0...16.0 mm<sup>2</sup>
- Wire-end ferrules with plastic collars H 6.0...H 16.0
- Weidmüller colour code

## Crimp-Set PZ 50



Crimp set for stripping and crimping of wire-end ferrules up to 50.0 mm<sup>2</sup>, consisting of:

- Assortment box PSC 01 blank
- A7 insert (4 pieces)
- Foam insert for tools
- AM 25 sheathing stripper for round PVC cables of 6.0...25.0 mm<sup>2</sup>
- PZ 50 crimping tool for wire-end ferrules of 25, 35 and 50.0 mm<sup>2</sup>
- Wire-end ferrules with plastic collars H 25.0...H 50.0
- Weidmüller colour code

## Assembly

Type		Piece
STRIPAX	Stripping tool up for to 10 mm <sup>2</sup>	1
PZ 16	Crimping tool	1
H6,0/20T GN	Wire-end ferrule	100
H10,0/22T BR	Wire-end ferrule	100
H16,0/22T W	Wire-end ferrule	100
H16,0/28T W	Wire-end ferrule	100

## Assembly

Type		Piece
STRIPAX 16	Stripping tool for up to 16 mm <sup>2</sup>	1
PZ ZH 16	Crimping tool	1
H6,0/23T ZH GN	Wire-end ferrule	100
H6,0/29T ZH GN	Wire-end ferrule	100
H10,0/24T ZH BR	Wire-end ferrule	100
H16,0/29T ZH W	Wire-end ferrule	50

## Assembly

Type		Piece
AM 25	Sheathing stripper	1
PZ 50	Crimping tool	1
H35,0/30D 16 R	Wire-end ferrule	50
H50/36D BL	Wire-end ferrule	50
H25,0/30T SW	Wire-end ferrule	50
H25,0/36T SW	Wire-end ferrule	50

## Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	

## Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	1,812 g

## Technical data

Length / Width / Height	261 / 338 / 57 mm
Weight	1,800 g

## Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 16	9025850000
DIN	CRIMP-SET PZ 16 D	9028800000
Misc.	CRIMP-SET PZ 16 T	9028810000

## Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ ZH 16	9028820000
DIN	CRIMP-SET PZ ZH 16 D	9028830000
Misc.	CRIMP-SET PZ ZH 16 T	9028840000

## Ordering data

Colour code	Type	Order No.
Weidmüller	CRIMP-SET PZ 50	9028850000
DIN	CRIMP-SET PZ 50 D	9028870000
Misc.	CRIMP-SET PZ 50 T	9028880000

## Crimp-Set CTI 6



## Assembly

Description of article	Type	Qty.
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool for insulated connectors, 0.5–6 mm <sup>2</sup>	CTI 6 S	1
Insulated ring-cable connector 6.0 mm <sup>2</sup> / M5	LIR 6M5 V	100
Insulated ring-cable connector 6.0 mm <sup>2</sup> / M6	LIR 6M6 V	100
Insulated pin-cable connector 6.0 mm <sup>2</sup> L=14 mm	LIP 6R14 V	100
Insulated ring-cable connector 2.5 mm <sup>2</sup> / M5	LIR 2,5M5 V	100
Insulated tab-connector sleeves 2.5 mm <sup>2</sup> / 6,3x0,8	LIF 2,5F638 R	100
Insulated pin-cable connector 1.5 mm <sup>2</sup> L=12 mm	LIP 1,5R12 V	100
Insulated pin-cable connector 2.5 mm <sup>2</sup> L=12 mm	LIP 2,5R12 V	100
Insulated joint connector 6.0 mm <sup>2</sup> L=26.0 mm	LIB 6B26 VF	100
Insulated ring-cable connector 1.5 mm <sup>2</sup> / M4	LIR 1,5M4 V	100
Insulated forked-cable connector 6.0 mm <sup>2</sup> / M6	LIS 6M6 V	100
Insulated tab-connector sleeves 1.5 mm <sup>2</sup> / 6.3x0.8	LIF 1,5F638 R	100
Insulated joint connector 2.5 mm <sup>2</sup> L=24.5 mm	LIB 2,5B25 VF	100
Insulated forked-cable connector 1.5 mm <sup>2</sup> / M4	LIS 1,5M4 V	100
Insulated forked-cable connector 2.0 mm <sup>2</sup> / M5	LIS 2,5M5 V	100
Insulated ring-cable connector 1.5 mm <sup>2</sup> / M5	LIR 1,5M5 V	100
Insulated ring-cable connector 2.5 mm <sup>2</sup> / M6	LIR 2,5M6 V	100
Insulated tab-connector sleeves 1.5 mm <sup>2</sup> / 2.8x0.8	LIF 1,5F288 R	100
Insulated tab-connector sleeves 6.0 mm <sup>2</sup> / 6,3x0.8	LIF 6F638 R	100
Insulated joint connector 1.5 mm <sup>2</sup> L=24.5 mm	LIB 1,5B25 VF	100
Assortment case, empty	KOF CARRYLITE 80	1

## Technical data

Length / Width / Height	413 / 330 / 79 mm
Weight	5 kg

## Ordering data

Type	Qty.	Order No.
Crimpset CTI 6	1	9202600000

## Crimp-Set PZ / CTI



## Assembly

Description of article	Type	Qty.
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool for insulated connectors, 0,5-6 mm <sup>2</sup>	CTI 6 S	1
Crimping tool	PZ 6 Roto	1
Wire-end ferrule	H0,5/14D W	500
Wire-end ferrule	H1,0/14D R	500
Wire-end ferrule	H2,5/15D BL	500
Wire-end ferrule	H4,0/18D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Insulated ring-cable connector 6.0 mm <sup>2</sup> / M6	LIR 6M6 V	100
Insulated pin-cable connector 6.0 mm <sup>2</sup> L=14 mm	LIP 6R14 V	100
Insulated ring-cable connector 2.5 mm <sup>2</sup> / M5	LIR 2,5M5 V	100
Insulated tab-connector sleeves 2.5 mm <sup>2</sup> / 6.3x0.8	LIF 2,5F638 R	100
Insulated pin-cable connector 1.5 mm <sup>2</sup> L=12 mm	LIP 1,5R12 V	100
Insulated pin-cable connector 2.5 mm <sup>2</sup> L=12 mm	LIP 2,5R12 V	100
Insulated joint connector 6.0 mm <sup>2</sup> L=26.0 mm	LJB 6B26 VF	100
Insulated ring-cable connector 1.5 mm <sup>2</sup> / M4	LIR 1,5M4 V	100
Insulated tab-connector sleeves 1.5 mm <sup>2</sup> / 6.3x0.8	LIF 1,5F638 R	100
Insulated joint connector 2.5 mm <sup>2</sup> L=24.5 mm	LJB 2,5B25 VF	100
Insulated ring-cable connector 1.5 mm <sup>2</sup> / M5	LIR 1,5M5 V	100
Insulated tab-connector sleeves 1.5 mm <sup>2</sup> / 2.8x0.8	LIF 1,5F288 R	100
Insulated tab-connector sleeves 6.0 mm <sup>2</sup> / 6.3x0.8	LIF 6F638 R	100
Insulated joint connector 1.5 mm <sup>2</sup> L=24.5 mm	LJB 1,5B25 VF	100
Assortment case, empty	KOF CARRY LITE 80 PC RT	1

## Technical data

Length / Width / Height	413 / 330 / 79 mm
Weight	5 kg

## Ordering data

Type	Qty.	Order No.
Crimpsset PZ / CTI	1	9202610000

## Crimp contact set



## Assembly

Description of article	Type	Qty.
Wire-end ferrule	H0,5/14D W	500
Wire-end ferrule	H0,75/14D GR	500
Wire-end ferrule	H1,0/14D R	500
Wire-end ferrule	H1,5/14D SW	500
Wire-end ferrule	H2,5/15D BL	500
Wire-end ferrule	H4,0/18D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Insulated ring-cable connector 6.0 mm <sup>2</sup> / M6	LIR 6M6 V	100
Insulated pin-cable connector 6.0 mm <sup>2</sup> L=14 mm	LIP 6R14 V	100
Insulated ring-cable connector 2.5 mm <sup>2</sup> / M5	LIR 2,5M5 V	100
Insulated tab-connector sleeves 2.5 mm <sup>2</sup> / 6.3x0.8	LIF 2,5F638 R	100
Insulated pin-cable connector 1.5 mm <sup>2</sup> L=12 mm	LIP 1,5R12 V	100
Insulated pin-cable connector 2.5 mm <sup>2</sup> L=12 mm	LIP 2,5R12 V	100
Insulated joint connector 6.0 mm <sup>2</sup> L=26.0 mm	LJB 6B26 VF	100
Insulated ring-cable connector 1.5 mm <sup>2</sup> / M4	LIR 1,5M4 V	100
Insulated tab-connector sleeves 1.5 mm <sup>2</sup> / 6.3x0.8	LIF 1,5F638 R	100
Insulated joint connector 2.5 mm <sup>2</sup> L=24.5 mm	LJB 2,5B25 VF	100
Insulated ring-cable connector 1.5 mm <sup>2</sup> / M5	LIR 1,5M5 V	100
Insulated tab-connector sleeves 1.5 mm <sup>2</sup> / 2.8x0.8	LIF 1,5F288 R	100
Insulated tab-connector sleeves 6.0 mm <sup>2</sup> / 6.3x0.8	LIF 6F638 R	100
Insulated joint connector 1.5 mm <sup>2</sup> L=24.5 mm	LJB 1,5B25 VF	100
Assortment case, empty	KOF.CARRY LITE 55 PC RT	1

## Technical data

Length / Width / Height	473 / 330 / 57 mm
Weight	3,635 g

## Ordering data

Type	Qty.	Order No.
Crimp-Set Kontakte	1	9202640000

**Crimp-Set Combi Check 1.3**



**Assembly**

Description of article	Type	Qty.
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool	PZ 6 Roto	1
Wire-end ferrule	H0,5/14D W	500
Wire-end ferrule	H0,75/14D GR	500
Wire-end ferrule	H1,0/14D R	500
Wire-end ferrule	H1,5/14D SW	500
Wire-end ferrule	H2,5/15D BL	500
Wire-end ferrule	H4,0/18D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Cable ties	CB 98/2.5 BLACK	100
Cable ties	CB 140/3.6 BLACK	100
Voltage tester up to 690 V / 100 Hz LED	COMBI CHECK	1
Assortment case, empty	KOFFER CARRY LITE 55	1

**Technical data**

Length / Width / Height	330 / 413 / 57 mm
Weight	2.5 kg

**Ordering data**

Type	Qty.	Order No.
Crimp-Set Combi	1	9202580000

**Crimp-Set Digi Check 5.2**



**Assembly**

Description of article	Type	Qty.
Stripping tool up for to 10 mm <sup>2</sup>	STRIPAX	1
Crimping tool	PZ 6 Roto	1
Wire-end ferrule	H0,5/14D W	500
Wire-end ferrule	H0,75/14D GR	500
Wire-end ferrule	H1,0/14D R	500
Wire-end ferrule	H1,5/14D SW	500
Wire-end ferrule	H2,5/15D BL	500
Wire-end ferrule	H4,0/18D GR	500
Wire end ferrule with plastic collar, yellow	H6,0/20D GE	100
Cable ties	CB 98/2.5 BLACK	100
Cable ties	CB 140/3.6 BLACK	100
Voltage tester up to 690 V / 100 Hz LCD	DIGI CHECK PRO	1
Assortment case, empty	KOFFER CARRY LITE 55	1

**Technical data**

Length / Width / Height	330 / 413 / 57 mm
Weight	2.6 kg

**Ordering data**

Type	Qty.	Order No.
Crimp-Set Digi Pro	1	9202590000

**Tool Set IE-POF**



**Contents:**

- Assortment case PSC 80
- Kevlar scissors for aramid fibres
- Multifunction tool HTX-IE-POF
- Stripping tool multi-stripax® IE-POF

**PV Set WM4**



**Contents:**

- CTF PV WM4 crimping tool
- multi-stripax® PV cutting and stripping tool
- Multitool
- WM4 photovoltaic contacts
- Toolbag

**Assembly**

Type		Piece
HTX-IE-POF	Crimping tool	1
MULTI-STRIPAX IE-POF	Stripping tool	1
SCISSORS KEVLAR	Cable shears	1

**Assembly**

Type		Piece
CTF PV WM4	Crimping tool for Weidmüller	1
MULTI-STRIPAX PV	Stripping tool	1
MULTI-TOOL PV		1
SFGH WM4 VPE100		15
SFKO WM4 VPE100		15
BUGH WM4 VPE100		15
BUKO WM4 VPE100		15
WZTE 20 LR		1
KOF CARRY LITE 80 PC RT	Assortment case, empty	1

**Technical data**

Length / Width / Height	241 / 338 / 79 mm
Weight	1,800 g

**Technical data**

Length / Width / Height	413 / 330 / 79 mm
Weight	2,500 g

**Ordering data**

Colour code	Type	Order No.
	TOOL SET IE-POF	1208930000

**Ordering data**

Colour code	Type	Order No.
Weidmüller	PV SET WM4	1257780000



Inserts

Inserts

Transparent, loose-packed compartment inserts for individual interior layouts.

- Resistant to oils, acids and alkalis
- Made from unbreakable polypropylene

A7-1 / A9-1 / A9-2

Inserts for PSC4-01, PSC5-01, CARRYLITE 55, CARRYLITE 80





- Inserts for PSC4-01, PSC5-01, CARRYLITE 55, CARRYLITE 80

A8-1 / A8-2

Inserts for PSC4-01, PSC5-01, CARRYLITE 55, CARRYLITE 80



- Inserts for horizontal installation



Technical data

Product data	
Colour of body	
Colour of fittings	
Cover material	
Weight	g
Dimensions	
Length	mm
Width	mm
Height	mm
Note	

EINSATZ A7-1 CL55	EINSATZ A9-1 CL55	EINSATZ A9-2 CL55
Natural	Natural	Natural
32	12	20
109	55	109
79	39	39
47	47	47
Note		

EINSATZ A8-1 CL55	EINSATZ A8-2 CL55
Natural	Natural
17	40
79	177
55	55
47	47
Note	

Ordering data

Version
Note

Type	Qty.	Order No.
EINSATZ A7-1 CL55	1	9028450000
EINSATZ A9-1 CL55	50	9202020000
EINSATZ A9-2 CL55	1	9203260000
Note		

Type	Qty.	Order No.
EINSATZ A8-1 CL55	100	9028460000
EINSATZ A8-2 CL55	1	9028420000
Note		

**Inserts**

Transparent, loose-packed compartment inserts for individual interior layouts.

- Resistant to oils, acids and alkalies
- Made from unbreakable polypropylene

**BA7-1 / BA8-1**

Inserts for PSC80




**BA8-1**

- Insert for horizontal installation

**BA7-1**

- Insert for vertical installation



**Technical data**

Product data	
Colour of body	
Colour of fittings	
Cover material	
Weight	g
Dimensions	
Length	mm
Width	mm
Height	mm
Note	

EINSATZ BA7-PSC 80	EINSATZ BA8-PSC 80
Natural	Natural
40	25
109	55
79	79
Note	

**Ordering data**

Version
Note

Type	Qty.	Order No.
EINSATZ BA7-PSC 80	1	9202320000
EINSATZ BA8-PSC 80	1	9202310000
Note		

Assortment boxes and cases

Assortment boxes and cases

- Body of case made from unbreakable polypropylene
- Portable and uncluttered storage in minimum space
- With 2 sturdy sliding catches
- Assortment cases and boxes can be placed upright and can be stacked safely without any sliding
- Can be subdivided with inserts
- U-section grid in cover and base holds the inserts in position and ensures sorted contents remain sorted
- Transparent polycarbonate cover
- Excellent shock resistance!
- With ergonomic carry handle



PSC4-01 / PSC 80

Assortment case, empty



CARRYLITE 55 / CARRYLITE 80

Assortment case, empty



Technical data

Product data	
Colour of body	
Colour of fittings	
Cover material	
Weight	g
Dimensions	
Length	mm
Width	mm
Height	mm
Note	

KOFFER PSC4-01	KOFFER PSC80 PC
Anthracite	Anthracite
Orange	Orange
Polycarbonate	Polycarbonate
580	630
261	261
338	338
56	

KOFFER CARRY LITE 55	KOF CARRYLITE 80
Anthracite	Anthracite
Orange	Orange
Polycarbonate	Polycarbonate
1000	1250
330	330
413	413
57	79

Ordering data

Version
Note


Type	Qty.	Order No.
KOFFER PSC4-01	1	9028860000
KOFFER PSC80 PC	1	9202330000

Type	Qty.	Order No.
KOFFER CARRY LITE 55	1	9202000000
KOF CARRYLITE 80	1	1309580000



**PSC 5-01**

Assortment box, empty



<b>KOFFER PSC5-01 PP</b>
Anthracite
Orange
Polypropylene
200
195
241
56

Type	Qty.	Order No.
KOFFER PSC5-01 PP	1	9202010000



