

## FLKM 50-PA-TI/505/I/O

Order No.: 2290973

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2290973>

---



VARIOFACE front adapter, for Siemens SIMATIC® TI 505, 1 x 32 channels can be connected

Commercial data	
EAN	4017918058241
Pack	5 Pcs.
Customs tariff	85369010
Weight/Piece	0.11365 KG
Catalog page information	Page 157 (IF-2002)

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>General</b>	
Nominal voltage $U_N$	120 V AC/DC
Channels which can be connected	32
Connection type, plug connector	Flat-ribbon cable plug connector in acc. with IEC 60603-13
Number of plug connectors	1
No. of positions, plug connector	50
Number of positions	50
Ambient temperature (operation)	-20 °C ... 50 °C
Mounting position	Any
Standards/regulations	IEC 60664 IEC 60664 A DIN VDE 0110 DIN VDE 0160 (in parts)
Max. permissible current	Per path 1 A
Max. permissible total current	Per byte 2 A (during supply via a connector)
Pollution degree	1
Surge voltage category	II

## Certificates / Approvals

Approval logo




requested approbations

Certification	CUL, GOST, UL
---------------	---------------

## Drawings

Circuit diagram



**Address**

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 00  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2008 Phoenix Contact  
Technical modifications reserved;