

| PART NUMBER DATA | | | | | | | |
|------------------|-------------|--------------------|-------|------|------|-------|-------|
| CIRCUITS | PART NUMBER | ENGINEERING NUMBER | COLOR | A IN | mm | B IN | mm |
| 2 | 397000602 | M600-00-02-3 | GREEN | .40 | 10.2 | .200 | 5.08 |
| 3 | 397000603 | M600-00-03-3 | GREEN | .60 | 15.2 | .400 | 10.15 |
| 4 | 397000604 | M600-00-04-3 | GREEN | .80 | 20.3 | .600 | 15.23 |
| 5 | 397000605 | M600-00-05-3 | GREEN | 1.00 | 25.4 | .800 | 20.31 |
| 6 | 397000606 | M600-00-06-3 | GREEN | 1.20 | 30.5 | 1.000 | 25.39 |
| 7 | 397000607 | M600-00-07-3 | GREEN | 1.40 | 35.6 | 1.199 | 30.46 |


SPECIFICATIONS:

PCB LAYOUT

- MATERIAL:
 - A. BODY: PA66 UL94 V-0
 - B. TERMINAL: BRASS, TIN PLATED
 - C. SPRING: ST. STEEL
 - D. BUTTON: PA66 UL94 V-0
- WIRE SIZE: 22 - 18AWG (SOL/STR)
- ELECTRICAL RATING (UL): 300V, 11A
- WIRE STRIP LENGTH: .39 (10.0mm)
- POWER FREQUENCY WITHSTAND: AC 2500V FOR 1 MINUTE
- INSULATION RESISTANCE: DC 500V, 500MΩ
- RATED IMPULSE VOLTAGE: 4000V PLUS AND MINUS 5 TIMES EACH
- OPERATING TEMPERATURE: -40°C TO +105°C
- DIMS SHOWN ARE FOR REFERENCE ONLY

| TOLERANCES | | | |
|------------|-------|-----------|--------|
| MM | TOL | INCH | TOL |
| 0-6 | ±0.25 | 0-24 | ±0.010 |
| >6-30 | ±0.40 | 0.24-1.18 | ±0.016 |
| >30-120 | ±0.50 | 1.18-4.76 | ±0.020 |
| >120 | ±0.80 | >4.76 | ±0.031 |

CONTACT FACTORY FOR OPTIONAL COLORS



| | | | | | | |
|---|------------------------------|---|--|------------------------------|------------------------|--|
| EC DESCRIPTION EC NO.: PG2017-0457 DRWN: RSTONE 2/18/24 CHKD: GFARNSW APPR: --- | QUALITY SYMBOL ▽=0 ▽=0 | DIMENSION STYLE IN/MM | SCALE --- | DESIGN UNITS METRIC | THIRD ANGLE PROJECTION | |
| | DRAWN BY RSTONE | DATE 2013/10/02 | TITLE SPRING TERMINAL BLOCK .200 (5.08) PITCH NON STACKABLE | | | |
| | CHECKED BY G FARNSW | DATE 2013/12/20 | MOLEX INCORPORATED | | | |
| | APPROVED BY JFMURPHY | DATE 2013/12/26 | MATERIAL NO. SEE TABLE | DOCUMENT NO. SD-39700-007 | SHEET NO. 1 OF 1 | |
| | SIZE C | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |